

APPENDIX A

BIBLIOGRAPHY

This bibliography is reproduced from the PAMS Data Analysis Workbook (Main and Roberts, 2000). The references are organized by sections/topic area of the workbook including

- Introduction
- Data Validation
- Biogenic Emissions
- Emissions Inventory Evaluation
- VOC Data Analysis
- NO_x, NO_y, O₃ Issues
- O₃ Formation
- Source Apportionment
- Trend Analysis
- Upper-Air Meteorology
- Transport Analysis
- Comparing Model Output with Ambient Data

This page is intentionally blank.

INTRODUCTION

- Dye T.S., Lindsey C.G., and Anderson J.A. (1995a) Estimates of mixing depths from "boundary layer" profilers. In *Preprints of the 9th Symposium on Meteorological Observations and Instrumentation, Charlotte, NC, March 27-31*, STI-94212-1451.
- Dye T.S., Roberts P.T., and Korc M.E. (1995b) Observations of transport processes for ozone and ozone precursors during the 1991 Lake Michigan Ozone Study. *J. Appl. Meteorol.* **34**, 1877-1889 (STI-1384).
- Fujita E.M., Watson J.G., Chow J.C., and Lu Z. (1994) Validation of the chemical mass balance receptor model applied to hydrocarbon source apportionment in the Southern California Air Study. *Environ. Sci. Technol.* **28**, 1633-1649.
- Lindsey C.G., Dye T.S., Blumenthal D.L., Ray S.E., and Arthur M. (1996) Meteorological aspects of summertime ozone episodes in the Northeast. Paper FA 5.8 presented at the *9th Joint Conference on the Applications of Air Pollution Meteorology at the 76th AMS Annual Meeting, Atlanta, GA, January 28-February 2, 1996* (STI-1549).
- Lindsey C.G., Dye T.S., Main H.H., Korc M.E., Blumenthal D.L., Roberts P.T., Ray S.E., and Arthur M. (1995c) Air quality and meteorological data analyses for the 1994 NARSTO-Northeast Air Quality Study. Draft final report prepared for Electric Power Research Institute, Palo Alto, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-94362-1511-DFR, July.
- Lu Z. and Fujita E.M. (1995) Volatile organic compound source apportionment for the coastal oxidant assessment for Southeast Texas Study. Final report prepared for Texas Natural Resource Conservation Commission, Austin, TX by Desert Research Institute, Reno, NV.
- Lurmann F.W. and Main H.H. (1992) Analysis of the ambient VOC data collected in the Southern California Air Quality Study. Report prepared for California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-99120-1161-FR, Contract No. A823-130, February.
- STAPPA/ALAPCO (2000) Draft recommendations from a PAMS workshop sponsored by U.S. Environmental Protection Agency, State and Territorial Air Pollution Program Administrators, and the Association of Local Air Pollution Control Officials, Las Vegas, NV, March.
- Stoeckenius T.E., Yarwood G., Ligocki M.P., Cohen J.P., Shepard S.B., Looker R.E., Fujita E.M., Main H.H., and Roberts P.T. (1995) Feasibility study for a 1995-1996 Southern California air quality monitoring program. Final report prepared for Coordinating Research Council, Atlanta, GA by Systems Applications International, San Rafael, CA, Desert Research Institute, Reno, NV, and Sonoma Technology, Inc., Santa Rosa, CA, SYSAPP94-94/065, January.
- Systems Applications International, Sonoma Technology Inc., Earth Tech, Alpine Geophysics, and Kearney A.T. (1995) Gulf of Mexico Air Quality Study. Volume I: Summary of data analysis and modeling. Final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS-95-0038.

- Geophysics (1995) Gulf of Mexico Air Quality Study. Vol 1: Summary of data analysis and modeling. Final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study, MMS 95-0038.
- U.S. Environmental Protection Agency (1994) Photochemical assessment monitoring stations implementation manual. Report prepared by Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA-454/B-93-051, March.
- U.S. Environmental Protection Agency (1999) AMTIC PAMS information. Available at <<http://www.epa.gov/ttn/amtic/pamsmain.html>>.
- U.S. Environmental Protection Agency (1999) Enhanced ozone monitoring (PAMS). Available at <<http://www.epa.gov/oar/oaqps/pams/>>.

DATA VALIDATION

- LADCO (1995) Lake Michigan Ozone Study. 1994 data analysis report, version 1.1. Report prepared by Lake Michigan Air Directors Consortium, Des Plaines, IL, May.
- Main H.H., Roberts P.T., and Chinkin L.R. (1997) PAMS data analysis workshop: illustrating the use of PAMS data to support ozone control programs. Prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC, presented at California Air Resources Board and EPA Region IX, Sacramento, CA, STI-997100-1719-WD7, May.
- Main H.H., Roberts P.T., and Prouty J.P. (1998) VOCDat user's guide. Report prepared for the U.S. Environmental Protection Agency, Research Triangle Park, NC by Sonoma Technology, Inc., Petaluma, CA, STI-997160-1763-DFR2, July.
- Main H.H., Roberts P.T., and Hurwitt S.B. (1999) Validation of PAMS VOC data in the Mid-Atlantic region. Report prepared for MARAMA, Baltimore, MD by Sonoma Technology, Inc., Petaluma, CA, STI-998481-1835-FR, February.
- NESCAUM (1993) 1992 regional ozone concentrations in the northeastern United States. Report prepared by the Ambient Monitoring and Assessment Committee and the Data Management Committee of the Northeast States for Coordinated Air Use Management, Boston, MA.
- NESCAUM (1995) Preview of the 1994 ozone precursor concentrations in the northeastern U.S. 5/1/94 draft report prepared by the Ambient Monitoring and Assessment Committee of the Northeast States for Coordinated Air Use Management, Boston, MA.
- PAMSgrams available at <<http://www.epa.gov/ttn/amtic/pamsgram.html>>.
- Roberts P.T., Dye T.S., Korc M.E., and Main H.H. (1994) Air quality data analysis for the 1991 Lake Michigan Ozone Study. Final report prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, STI-92022-1410-FR, September.
- Stoeckenius T.E., Ligocki M.P., Shepard S.B., and Iwamiya R.K. (1994a) Analysis of PAMS data: application to summer 1993 Houston and Baton Rouge data. Draft report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/115d, November.

- Stoeckenius T.E., Ligocki M.P., Cohen B.L., Rosenbaum A.S., and Douglas S.G. (1994b) Recommendations for analysis of PAMS data. Final report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/011r1, February.
- Systems Applications International, Sonoma Technology, Inc., Earth Tech, and Alpine Geophysics (1995) Gulf of Mexico Air Quality Study. Volume 1: Summary of data analysis and modeling. Final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study, MMS 95-0038.
- U.S. Environmental Protection Agency (1980) Validation of Air Monitoring Data. EPA-600/4-80-030.
- U.S. Environmental Protection Agency (1984) Quality assurance handbook for air pollution measurement systems, Volume II: ambient air specific methods (interim edition), EPA/600/R-94/0386, April.
- U.S. Environmental Protection Agency (1989) AIRS User's Guide Volume III: AIRS codes and values. Office of Air Quality Planning & Standards Technical Support Division, Research Triangle Park, NC, June.
- U.S. Environmental Protection Agency (1994) Photochemical assessment monitoring stations implementation manual. Office of Air and Radiation, Office of Air Quality Planning and Standards, Technical Support Division, Research Triangle Park, NC, EPA/454/B-93-051, March.
- U.S. Environmental Protection Agency (1998) Technical assistance document for sampling and analysis of ozone precursors. National Exposure Research Laboratory, Research Triangle Park, NC, EPA/600-R-98/161, September.

BIOGENIC EMISSIONS

- Aneja V.P. and Roelle P. (1997) Contribution of biogenic nitric oxide in urban ozone: Raleigh, NC, as a case study. *Atmos. Environ.* **31**, 1531-1537.
- Cardelino C.A. and Chameides W.L. (1995) An observation-based model for analyzing ozone precursor relationships in the urban atmosphere. *J. Air & Waste Manag. Assoc.* **45**, 161-180.
- Carter W.P.L. (1994) Development of ozone reactivity scales for volatile organic compounds. *J. Air & Waste Manag. Assoc.* **44**, 881-899.
- Chameides W.L., Lindsay R.W., Richardson J., and Kiang C.S. (1988) The role of biogenic hydrocarbons in urban photochemical smog: Atlanta as a case study. *Science* **241**, 1473-1475.
- Chameides W. L., et al., (1992) Ozone precursor relationships in the ambient atmosphere. *J. Geophys. Res.* **97D (5)**, 6037-6055.
- Chameides W.L. and Cowling E.B. (1995) The state of the Southern Oxidants Study: Research accomplishments and future plans. Prepared for the SOS Science Team, April.

- Chinkin L.R., Reiss R., Haste T.L., Ryan P.A., Stoelting M.W., Winer A., and Karlik J. (1996) Development of a gridded leaf biomass inventory for use in estimating biogenic emissions for urban airshed modeling. Final report prepared for Ventura County Air Pollution Control District, Ventura, CA by Sonoma Technology, Inc., Santa Rosa, CA and University of California, Los Angeles, School of Public Health, Los Angeles, CA, STI-996086-1599-RFR, August.
- Chinkin L.R., Ryan P.A., Reiss R., Jones C.M., Winer A., and Karlik J. (1996) Improvements to the biogenic emission estimation process for Maricopa County. Final report prepared for Maricopa Association of Governments, Phoenix, AZ by Sonoma Technology, Inc., Santa Rosa, CA and University of California, Los Angeles, School of Public Health, Los Angeles, CA, STI-95160-1577-FR, July.
- Gong Q. and Demerjian K.L. (1995) Hydrocarbon losses on a regenerated Nafion dryer. *J. Air & Waste Manag. Assoc.* **45**, 490-493.
- Grosjean E., Grosjean D., Fraser M.P., and Cass G.R. (1996) Air quality model evaluation data for organics. 2. C1 - C14 carbonyls in Los Angeles air. *Environ. Sci. Technol.* **30**, 2687-2703.
- Guenther A.B., Monson R.K., and Fall R. (1991) Isoprene and monoterpene emission rate variability - observations with eucalyptus and emission rate algorithm development. *J. Geophys. Res.* **96**, 10799-10808.
- Guenther A.B., Zimmerman P.R., Harley P.C., Monson R.K., and Fall R. (1993) Isoprene and monoterpene emission rate variability - model evaluations and sensitivity analysis. *J. Geophys. Res.* **98**, 12609-12617.
- Guenther A., Zimmerman P., Klinger L., Greenbert J., Ennis C., Davis K., and Pollock W. (1996) Estimates of regional natural volatile organic compound fluxes from enclosure and ambient measurements. *J. Geophys. Res.* **101**, 1345-1359.
- Lindsey C.G., Dye T.S., Main H.H., Korc M.E., Blumenthal D.L., Roberts P.T., Ray S.E., and Arthur M. (1995c) Air quality and meteorological data analyses for the 1994 NARSTO-Northeast Air Quality Study. Draft final report prepared for Electric Power Research Institute, Palo Alto, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-94362-1511-DFR, July.
- Main H.H. and Roberts P.T. (1993) Validation and analysis of the Lake Michigan Ozone Study ambient VOC data. Draft final report prepared for the Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, STI-90217-1352-DFR, April.
- Main H.H., Chinkin L.R., Chamberlin A.H., and Hyslop N.M. (1999) PAMS data analysis for Southern California Volume I: Characteristics of hydrocarbon data collected in the South Coast Air Quality Management District from 1994 to 1997. Draft final report prepared for South Coast Air Quality Management District, Diamond Bar, CA by Sonoma Technology, Inc., Petaluma CA, STI-997521-1899-DFR, September.
- National Research Council (1991) *Rethinking the ozone problem in urban and regional air pollution*. National Academy Press, Washington, DC.

- NESCAUM (1995) Preview of the 1994 ozone precursor concentrations in the northeastern U.S. 5/1/94 draft report prepared by the Ambient Monitoring and Assessment Committee of the Northeast States for Coordinated Air Use Management, Boston, MA.
- Roselle J.S., Pierce T.E., and K.L. Schere (1991) The sensitivity of regional ozone modeling to biogenic hydrocarbons. *J. Geophys. Res.* **96**, 7371-7394.
- Sudol M. and Winer A.M. (1992) Estimate of biogenic emissions for South Coast Air Basin. Prepared for the California Institute for Energy efficiency by the University of California, Los Angeles, CA. LBL/Energy and Environment Division report MOU-4902710.
- Taha H. (1996) Modeling impacts of increased urban vegetation on ozone air quality in the South Coast Air Basin. *Atmos. Environ.* **30**, 3423-3430.
- Tanner R.L., Minor T., Hatzell J., Jackson J., Rose M.R., Zielinska B. (1992) Emissions data collection and inventory development work element 2: Development of a natural source emissions inventory. Report prepared by Desert Research Institute Energy, Reno, NV and Environmental Engineering Center, DRI final report no. 8303-099.FR1.
- Tingey D.T., Manning M., Grothaus L.C., and Burns W.F.(1979) The influence of light and temperature on isoprene emission rates from live oak. *Physiol. Plant* **47**, 112-118.
- Tingey D.T., Manning M., Grothaus L.C., and Burns W.F.(1980) The influence of light and temperature on monoterpene emission rates from live oak. *Physiol. Plant* **65**, 797-801.
- Valente R.J. and F.C. Thornton (1993) Emissions of NO from soil at a rural site in central Tennessee. *J. Geophys. Res.*, **98D(9)**, 16745-16753.
- Williams, E.J., and F.C. Fehsenfeld (1991) Measurement of soil nitrogen oxide emissions at three North American ecosystems. *J. Geophys. Res.* **96**,1033-1042.
- Winer A.M., Lurmann F.W., Coyner L.A., Colome S.D., and Poe M.P. (1989) Characterization of air pollutant exposures in the California South Coast air basin: application of a new regional human exposure (REHEX) model. Report prepared for the South Coast Air Quality Management District, Diamond Bar, CA by the University of California/Riverside, Riverside, CA, Contract No. TSA 106-01-88.
- Winer A.M., Arey J., Aschmann S.M., Atkinson R., Long W.D., Morrison C.L., Olszyk D.M. (1992) Emission rates of organics from vegetation in California's central valley. *Atmos. Environ.* **26**, 2647-2659.
- Winer A.M., Chinkin L.R., Arey J., Atkinson R., Adams J., and Karlik J. (1995) Critical evaluation of a biogenic emission system for photochemical grid modeling in California. Final report prepared for the California Air Resources Board, Sacramento, CA by the School of Public Health, University of California, Los Angeles, CA; Sonoma Technology, Inc., Santa Rosa, CA; and the Statewide Pollution Research Center, University of California, Riverside, CA, ARB Contract No. 93-725, December.

- Winer A.M., Karlik J., Arey J., Chung Y.J., and Reissell A. (1998) Biogenic hydrocarbon inventories for California: generation of essential databases. Final report prepared for California Air Resources Board, Sacramento, CA by Environmental Science and Engineering Program, School of Public Health, University of California, Los Angeles, CA; Cooperative Extension, University of California, Bakersfield, CA; and Air Pollution Research Center, University of California, Riverside, CA, Contract No. 95-309, September.
- Yokouchi Y. and Ambe Y.(1984) Factors affecting emission of monoterpene from red pine (pinus densiflora). *Plant Physiol.* **75**, 1009-1012.

EMISSIONS INVENTORY EVALUATION

- Carter W.P.L. (1991) Development of ozone reactivity scales for volatile organic compounds Report prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA-600/3-91-050.
- Carter W.P.L. (1994) Development of ozone reactivity scales for volatile organic compounds. *J. Air & Waste Manag. Assoc.* **44**, 881-899.
- Chinkin L.R., Korc M.E., and Janssen M. (1994) Comparison of emission inventory and ambient concentration ratios of NMOC, NO_x, and CO in the Lake Michigan Air Quality Region. Paper presented at the *Air & Waste Management Association Emission Inventory Applications and Improvement Conference, Raleigh, NC, November 1-3*, (STI-1434).
- Chinkin L. and Haste T.L. (1997) Use of PAMS data to evaluate an emission inventory test case: Southeast Texas. Paper presented at the *A&WMA Emission Inventory: Planning for the Future Conference, Research Triangle Park, NC, October 28-30* (STI 1760).
- Chinkin L.R., Funk T.H., Main H.H., and Roberts P.T. (2000) PAMS data analysis for Southern California. Volume VI: Use of PAMS data to evaluate a South Coast Air Basin emission inventory. Report prepared for South Coast Air Quality Management District, Diamond Bar, CA by Sonoma Technology, Inc., Petaluma, CA, STI-997528-1916-FR, November.
- EMS95-Developed by Alpine Geophysics. Contact Lake Michigan Air Directors Consortium, 2350 E. Devon Ave., Suite 242, Des Plaines, IL 60018 (847)296-2181.
- EPS 2.0 - User's guide for the Urban Airshed Model volume iv: User's manual for the emissions processor system 2.0. Part A: Core Fortran System. U.S. Environmental Protection Agency Office of Air Quality Planning & Standards, Research Triangle Park, NC 27711. EPA-450/4-90-007D(R) June 1992.
- Fujita E.M., Croes B.E, Bennett C.L., Lawson D.R., Lurmann F.W., and Main H.H. (1992) Comparison of emission inventory and ambient concentration ratios of CO, NMOG, and NO_x in California's South Coast Air Basin. *J. Air Waste Manage. Assoc.* **42**, 264-276.
- Fujita E.M. (1995) Evaluation of the emissions inventory in the South Coast Air Basin. In *Proceedings of the Fifth CRC On-Road Vehicle Emissions Workshop, San Diego, CA, April 3-5*, Coordinating Research Council, Inc., Atlanta, GA, pp. 1.17-1.33.

- Haste T.L., Chinkin L.R., Main H.H., Kumar N., and Roberts P.T. (1998e) Analysis of data from the 1995 NARSTO-Northeast Study, Volume II: Use of PAMS data to evaluate a regional emission inventory. Final report prepared for Coordinating Research Council, Atlanta, GA by Sonoma Technology, Inc., Santa Rosa, CA under subcontract to ENVIRON International Corp., Novato, CA, STI-95424-1737-FR, March.
- Haste T.L., Kumar N., Chinkin L.R., and Roberts P.T. (1998f) Compilation and evaluation of a gridded emission inventory for the Paso del Norte area. Report prepared for the U.S. Environmental Protection Agency, Air Quality Analysis Section, Dallas, TX, STI-998110-1828-FR, September.
- Korc M.E., Roberts P.T., Chinkin L.R., and Main H.H. (1993) Comparison of emission inventory and ambient concentration ratios of NMOC, NO_x and CO in the Lake Michigan Air Quality Region. Final report prepared for Lake Michigan Air Directors Association, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, October.
- Korc M.E., Jones C.M., Chinkin L.R., Main H.H., and Roberts P.T. (1995) Use of PAMS data to evaluate the Texas COAST emission inventory. Final report prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC by Sonoma Technology, Inc., Santa Rosa, CA, December.
- Lurmann F.W. and Main H.H. (1992) Analysis of the ambient VOC data collected in the Southern California Air Quality Study. Report prepared for California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-99120-1161-FR, Contract No. A823-130, February.
- Magliano K.L. (1996) Descriptive analysis and reconciliation of emissions and ambient hydrocarbon data. Draft SJVAQS/AUSPEX technical topic team #5 report prepared by California Air Resources Board, Sacramento, CA.
- Main H.H., Roberts P.T., Chinkin L.R., and Korc M.E. (1997) PAMS data analysis workshop: illustrating the use of PAMS data to support ozone control programs. Prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC, presented at Camp Mabry for Texas Natural Resources Conservation Commission, Austin, TX by Sonoma Technology, Inc., Santa Rosa, CA, STI-997160-1704-WD6, April.
- Pierson W.R., Gertler A.W., Robinson N.F., Sagebiel J.C., Zielinska B., Bishop G.A., Stedman D.H., Zweidinger R.B., and Ray W.D. (1996). *Atmos. Environ.* **30**, 2233-2256.
- Stoeckenius T.E., Ligocki M.P., Shepard S.B., and Iwamiya R.K. (1994a) Analysis of PAMS data: application to summer 1993 Houston and Baton Rouge data. Draft report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/115d, November.
- Yarwood G., Grey H.A., Ligocki M.P., and Whitten G.Z. (1994) Evaluation of ambient species profiles, ambient versus modeled NMHC:NO_x and CO:NO_x ratios, and source receptor analysis. Final report prepared for U.S. Environmental Protection Agency, Office of Mobile Sources, Research Triangle Park, NC by Systems Application International, San Rafael, CA, SYSAPP94-94/081, September.

VOC DATA ANALYSIS

- Bastable H.G., Rogers D.P., and Schorran D.E. (1990) Tracers of opportunity and pollutant transport in Southern California. *Atmos. Environ.* **24B**, 137-151.
- Henry R.C., Lewis C.W., and Collins J.F. (1994) Vehicle-related hydrocarbon source compositions from ambient data: the GRACE/SAFER method. *Environ. Sci. Technol.* **28**, 823-832.
- LADCO (1995) Lake Michigan Ozone Study. 1994 data analysis report, version 1.1. Report prepared by Lake Michigan Air Directors Consortium, Des Plaines, MI, May.
- LADCO (1996) Lake Michigan Ozone Study: 1995 data analysis report, version 1.1. Report prepared by Lake Michigan Air Directors Consortium, Des Plaines, IL, April.
- Lewis, C.W., Henry R.C., Shreffler J.H. (1996) An exploratory look at hydrocarbon data from the photochemical assessment monitoring station network. *J. Air & Waste Manag. Assoc.* **48**, 71-76.
- Lindsey C.G., Dye T.S., Main H.H., Korc M.E., Blumenthal D.L., Roberts P.T., Ray S.E., and Arthur M. (1995c) Air quality and meteorological data analyses for the 1994 NARSTO-Northeast Air Quality Study. Draft final report prepared for Electric Power Research Institute, Palo Alto, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-94362-1511-DFR, July.
- Lurmann F.W. and Main H.H. (1992) Analysis of the ambient VOC data collected in the Southern California Air Quality Study. Report prepared for the California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-99120-1161-FR, Contract No. A823-130, February.
- Magliano K.L. (1996) Descriptive analysis and reconciliation of emissions and ambient hydrocarbon data. Draft SJVAQS/AUSPEX technical topic team #5 report prepared by California Air Resources Board, Sacramento, CA.
- Main H.H. and Roberts P.T. (1993) Validation and analysis of the Lake Michigan Ozone Study ambient VOC data. Draft final report prepared for the Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, STI-90217-1352-DFR, April.
- Main H.H., Alcorn S.H., and Roberts P.T. (1999) Characteristics of volatile organic compounds in the mid-Atlantic region. Final report prepared for MARAMA, Baltimore, MD, by Sonoma Technology, Inc., Petaluma, CA, STI-998484-1869-FR2, November.
- McLaren, R., Singleton D.L., Lai J.Y.K., Khouw B., Singer E., Wu Z., and Niki H. (1996) Analysis of motor vehicle sources and their contribution to ambient hydrocarbon distributions at urban sites in Toronto during the Southern Ontario oxidants study. *Atmos. Environ.* **30**, 2219-2232.
- Nelson P.F. and Quigley S.M. (1983) The m, p-xylenes: ethylbenzene ratio, a technique for estimating hydrocarbon age in ambient atmospheres. *Atmos. Environ.* **17**, 659-662.

- NESCAUM (1995) Preview of the 1994 ozone precursor concentrations in the Northeastern U.S. 5/1/94 draft report prepared by the Ambient Monitoring and Assessment Committee of the Northeast States for Coordinated Air Use Management, Boston MA.
- Stoeckenius T.E., Ligocki M.P., Shepard S.B., and Iwamiya R.K. (1994) Analysis of PAMS data: application to summer 1993 Houston and Baton Rouge data. Draft report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/115d, November.
- Stoeckenius T.E., Ligocki M.P., Cohen B.L., Rosenbaum A.S., and Douglas S.G. (1994) Recommendations for analysis of PAMS data. Final report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/011r1, February.
- Systems Applications International, Sonoma Technology Inc., EarthTech, Alpine Geophysics, and A.T. Kearney (1995) Gulf of Mexico Air Quality Study. Vol. I: summary of data analysis and modeling. Final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS-95-0038.
- Zielinska, B., Sagebiel J.C., Harshfield G., Gertler A.W., Pierson W.R. (1996) Volatile organic compounds up to C20 emitted from motor vehicles; measurement methods. *Atmos. Environ.* **30**, 2269-2286.

NO_x, NO_y, O₃

- Adamski W. (2000) Applying observation-based methods (OBMs). Presented at *Data Analysis Workshop: Analysis of PM and Ozone Data, Austin, TX, May 16-19*, cosponsored by Central States Air Resources Agencies Association and the Air Pollution Training Institute, U.S. Environmental Protection Agency.
- Aneja V.P. and Das M. (1994) Correlation of ozone and meteorology with hydrogen peroxide in urban and rural regions of North Carolina. *J. Appl. Meteorol.* **34**, 1890-1897.
- Blanchard C.L. (2000) Ozone process insights from field experiments - Part III: extent of reaction and ozone formation. *Atmos. Environ.* **34**, 2035-2043.
- Blanchard C.L., Roth P.M., and Jeffries H.E. (1993) Continuing development of a methodology for assessing preferences for reductions in VOC versus NO_x emissions in nonattainment areas. Paper presented at the *Air & Waste Management Association's Specialty Conference on Regional Photochemical Measurement and Modeling Studies, San Diego, CA, November 8-12*.
- Blanchard C.L., Roth P.M., and Jeffries H.E. (1993) Spatial mapping of preferred strategies for reducing ambient ozone concentrations nationwide. Paper no. 93-TA-37A.04 presented at the *Air & Waste Management Association's 86th Annual Meeting & Exhibition, Denver, CO, June 13-18*.
- Blanchard C.L., Lurmann F.W., Korc M.E., and Roth P.M. (1994) The use of ambient data to corroborate analyses of ozone control strategies. Final report prepared for the U.S. Environmental Protection Agency, Research Triangle Park, NC by Sonoma Technology, Inc., Santa Rosa, CA and Envair, San Anselmo, CA, STI-94030-1433-FR, Contract No. 68D30020, December.

- Blanchard C.L., Roberts P.T., Chinkin L.R., and Roth P.M. (1994) Application of smog production (sp) algorithms to the Coastal Oxidant Assessment for Southeast Texas (COAST) data. Final report prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC by Envair, Albany, CA and Sonoma Technology, Inc., Santa Rosa, CA, STI-94080-1454-FR, Work Assignment 8-94, EPA Contract No. 68D30020, December.
- Blanchard C.L. and Roth P.M. (1995) User's Guide: Ozone M.A.P.P.E.R., Measurement-based Analysis of Preferences in Planned Emission Reductions, version 1.1.
- Blanchard C.L., Lurmann F.W., Roth P.M., Jeffries H.E., and Korc M. (1999) The use of ambient data to corroborate analyses of ozone control strategies. *Atmos. Environ.* **33**, 369-381.
- Bottenheim J.W. and Sirois A. (1996) Long-term daily mean mixing ratios of O₃, PAN, HNO₃, and particle nitrate at a rural location in eastern Canada: relationships and implied ozone production efficiency. *J. Geophys. Res.* **191**, 4189-4204.
- Cardelino C.A. and Chameides W.L. (1995) An observation-based model for analyzing ozone precursor relationships in the urban atmosphere. *J. Air & Waste Manag. Assoc.* **45**, 161-180.
- Chameides W.L. and Cowling E.B. (1995) The state of the Southern Oxidants Study: Research accomplishments and future plans. Prepared for the SOS Science Team, April.
- Chang T.Y. and Suzio M.J. (1995) Assessing ozone-precursor relationships based on a smog production model and ambient data. *J. Air & Waste Manag. Assoc.* **45**, 20-28.
- Dommen J., Prévôt A.S.H., Hering A.M., Staffelbach T., Kok G.L. and Schillawski R.D. (1999) Photochemical production and aging of an urban air mass. *J. Geophys. Res.* **104(D5)**, 5493-5506.
- Edgerton E.S. and Hartsell B.E. (1996) Analysis of ozone, NO_y, and tracer data from a site in south-central Pennsylvania. Report prepared for the Ozone Transport Assessment Group, Air Quality Analysis Subgroup by ESE Environmental, Inc., Durham, NC, October. Also at <<http://capita.wustl.edu/OTAG/reports/OntPenn/OntPenn.html>>.
- Edgerton E.S. and Hartsell B.E. (??) Ozone/NO_y tracer relationships at three SOS-SCION sites. Draft technical report prepared by ESE Environmental, Inc., Durham, NC, at <<http://capita.wustl.edu/OTAG/reports/ONTSCION/Ontscion.html>>.
- Fujita E., Keislar R., and Stockwell W. (2000) Weekend/weekday ozone observations in the South Coast Air Basin; Weekend/weekday ozone effect workshop. Prepared for National Renewable Energy Laboratory and Coordinating Research Council by Desert Research Institute, Reno, NV, April. Also available at <<http://arbis.arb.ca.gov/aqd/weekendeffect/>>, in "we0413006.ppt" folder.
- Gery M.W., Whitten G.Z., Killus J.P., and Dodge M.C. (1989) A photochemical kinetics mechanism for urban and regional scale computer modeling. *J. Geophys. Res.* **94**, 12,925-12,956.
- Hartsell B.E., Aneja V.P., and Lonneman W.A. (1994) Relationships between peroxyacetyl nitrate, O₃, and NO_y at the rural southern oxidants study site in central Piedmont, North Carolina, site SONIA. *J. Geophys. Res.* **99**, 21033-21041.

- Hartsell B.E. and Edgerton E.S. (??) A comparison of modeled and measured ozone, NO_y, and CO at nine regional monitoring stations during the 1995 OTAG episode. Draft technical report prepared by ESE Environmental, Inc., Durham, NC, at <http://capita.wustl.edu/OTAG/reports/HARMOD/modcomp.html>.
- Hastie D.R., Shepson P.B., Reid N., Roussel P.B., and Melo O.T. (1996) Summertime NO_x, NO_y, and ozone at a site in rural Ontario. *Atmos. Environ.* **30**, 2157-2165.
- Jacob D.J., Horowitz L.W., Munger J.W., Heikes B.G., Dickerson R.R., Artz R.S., and Keene W.C. (1995) Seasonal transition from NO_x to hydrocarbon-limited conditions for ozone production over the eastern United States in September. *J. Geophys. Res.* **100**, 9315-9324.
- Johnson G.M. (1984) A simple model for predicting the ozone concentration of ambient air. In *Proceedings from the 8th International Clean Air Conference, Melbourne, Australia, May 2, pp. 715-731*.
- Johnson G.M. and Azzi M. (1992) Notes on the derivation: the integrated empirical rate model (V2.2). Report prepared by CSIRO Division of Coal and Energy Technology, North Ryde, NSW, Australia.
- Johnson G.M. and Quigley S.M. (1989) A universal monitor for photochemical smog. Paper No. 89-29.8 presented at the *82nd Air & Waste Management Association Annual Meeting and Exhibition, Anaheim, CA, June 25-30*.
- Kelly T.J., Ward G.F., and Satola J. (1995) A comparison of NO_y and conventional "NO_x" measurements at a rural site in Pennsylvania. Paper presented at the *Air & Waste Management Association and U.S. Environmental Protection Agency Measurement of Toxic and Related Air Pollutants Conference, Research Triangle Park, NC, May 16-19*.
- Koike M., Kondo Y., Kawakami S., Singh H.B., and Ziereis H. (1996) Ratios of reactive nitrogen species over the Pacific during PEM-West A. *J. Geophys. Res.* **101**, 1829-1851.
- Korc M.E., Jones C.M., Chinkin L.R., Main H.H., Roberts P.T., and Blanchard C. (1995) Use of PAMS data to evaluate the Texas coast emission inventory. Final report prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC by Sonoma Technology, Inc., Santa Rosa, CA, Work assignment 2-95, EPA Contract No. 68D30020, STI-94520-1558-FR, December.
- Lurmann F.W. and Main H.H. (1992) Analysis of the ambient VOC data collected in the Southern California Air Quality Study. Report prepared for California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-99120-1161-FR, Contract No. A823-130, February.
- MacDonald C.P., Roberts P.T., Main H.H., Kumar N., Haste T.L., Chinkin L.R., and Lurmann F.W. (1998) Analysis of meteorological and air quality data for North Carolina in support of modeling. Draft final report prepared for North Carolina Department of Environment and Natural Resources, Division of Air Quality, Raleigh, NC by Sonoma Technology, Inc., Petaluma, CA, STI-997420-1818-DFR, October.
- Milford J.B., Gao D., Sillman S., Blossey P., and Russell A.G. (1994) Total reactive nitrogen (NO_y) as an indicator of the sensitivity of ozone to reductions in hydrocarbon and NO_x emissions. *J. Geophys. Res.* **99**, 3533-3542.

- National Research Council (1991) *Rethinking the ozone problem in urban and regional air pollution*. National Academy Press, Washington, D.C.
- Olszyna K.J., Bailey E.M., Simonaitis R., and Meagher J.F. (1994) O₃ and NO_y relationships at a rural site. *J. Geophys. Res.* **99**, 14557-14563.
- Olszyna K.J., Bailey E.M., Simonaitis R., and Meagher J.F. (1994) O₃ and NO_y relationships at a rural site. *J. Geophys. Res.* **99**, 14557-14563.
- Parrish D.D., Holloway J.S., Trainer M., Forbes P.C., Fehsenfeld F.C (1993) *Science*, **259**, 1436-1439.
- Roberts P.T., Roth P.M., Blanchard C.L., Korc M.E., and Lurmann (1995b) Characteristics of VOC-limited and NO_x-limited areas within the Lake Michigan air quality region. Technical memorandum prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA and ENVAIR, Albany, CA, STI-92322-1504-TM, May.
- Sather M.E. and Kemp M.G. (1998) Analysis of ozone precursor data from Baton Rouge, Houston, El Paso, and Dallas. Presented at the *Air and Waste Management Association's 91st Annual Meeting, San Diego, CA, June 14-18*. Available at <<http://capita.wustl.edu/EnhancedOzone/Resources/Bibliography/Reports/PAMS/awma98.pdf>>.
- Sather M.E. and Kemp M.G. (1998) Initial detailed trends and ozone episode analyses of photochemical assessment monitoring stations (PAMS) data from Baton Rouge, Louisiana. Presented at the *Air and Waste Management Association's International Symposium on the Measurement of Toxic and Related Air Pollutants, Cary, NC, September 1-3*. Available at <<http://capita.wustl.edu/EnhancedOzone/Resources/Bibliography/Reports/PAMS/toxics98.pdf>>.
- Sillman S. (1995) The use of NO_y, H₂O₂, and HNO₃ as indicators for ozone-NO_x-hydrocarbon sensitivity in urban locations. *J. Geophys. Res.* **100**, 14175-14188.
- Sillman S., He D., Cardelino C., and Imhoff R.E. (1997) The use of photochemical indicators to evaluate ozone-NO_x-hydrocarbon sensitivity: case studies from Atlanta, New York, and Los Angeles. *J. Air & Waste Manag. Assoc.* **47**, 1030-1040.
- Sillman S. (1999) The relation between ozone, NO_x and hydrocarbons in urban and polluted rural environments. *Atmos. Environ.*, **33**, 1821-1845.
- Singh H.B., Herlth D., Kolyer R., Salas L., Bradshaw J.D., Sandholm S.T., Davis D.D., Crawford J., Kondo Y., Koike M., Talbot R., Gregory G.L., Sachse G.W., Browell E., Blake D.R., Rowland F.S., Newell R., Merrill J., Heikes B., Liu S.C., Crutzen P.J., and Kanakidou M. (1996) Reactive nitrogen and ozone over the western Pacific: distribution, partitioning, and sources. *J. Geophys. Res.* **101**, 1793-1808.
- Trainer M., Parrish D.D., Buhr M.P., Norton R.B., Fehsenfeld F.C., Anlauf K.G., Bottenheim J.W., Tang Y.Z., Wiebe H.A., Roberts J.M., Tanner R.L., Newman L., Bowersox V.C., Meagher J.F., Olszyna K.J., Rodgers M.O., Wang T., Berresheim H., Demerjian K.L., and Roychowdhury U.K. (1993) Correlation of ozone with NO_y in photochemically aged air. *J. Geophys. Res.* **98**, 2917-2925.

O₃ FORMATION

- California Air Resources Board (1994) California phase 2 reformulated gasoline news. RFG Forum, No. 1, December.
- Carter W.P.L. (1991) Development of ozone reactivity scales for volatile organic compounds. Report prepared for the U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA-600/3-91-050.
- Carter W.P.L. (1994) Development of ozone reactivity scales for volatile organic compounds. *J. Air & Waste Manag. Assoc.* **44**, 881-899.
- Carter W.P.L. (1995) Computer modeling of environmental chamber measurements of maximum incremental reactivities of volatile organic compounds. *Atmos. Environ.* **29**, 2513-2527.
- Carter W.P.L., Pierce J. A., Luo D., and Malkina I. L. (1995) Environmental chamber study of maximum incremental reactivities of volatile organic compounds. *Atmos. Environ.* **29**, 2499-2511.
- Carter W.P.L. (2000) Documentation of the SAPRC-99 chemical mechanism for VOC reactivity assessment. Volume 1 of 2, Documentation Text. Final report prepared for California Air Resources Board, Sacramento, CA by Air Pollution Research Center and College of Engineering, Center for Environmental Research and Technology, University of California, Riverside, CA, Contract Nos. 92-329 and 95-308, May. Also available at <http://www.cert.ucr.edu/~carter/reactdat.htm>.
- Gertler A.W., Fujita E. M., Pierson W.R., Wittorff D.N. (1996a) Apportionment of NMHC tailpipe vs. non-tailpipe emissions in the Fort McHenry and Tuscarora Mountain tunnels. *Atmos. Environ.* **30(12)**, 2290-2305.
- Gong Q. and Demerjian K.L. (1997) Measurement and analysis of C₂-C₁₀ hydrocarbons at Whiteface Mountain, New York. *J. Geophys. Res.* **102**, December 20, 28,059-28,069.
- Grosjean E., Grosjean D., Fraser M.P., and Cass G.R. (1996) Air quality model evaluation data for organics. 2. C₁ - C₁₄ carbonyls in Los Angeles air. *Environ. Sci. Technol.* **30**, 2687-2703.
- Harley R.A., Hangman M.P., and Cass G.R. (1992) Respeciation of organic gas emissions and the detection of excess unburned gasoline in the atmosphere. *Environ. Sci. Technol.* **26**, 2395-2408.
- Korc M.E. and Chinkin L.R. (1993) Improvement of the speciation profiles used in the development of the 1991 LMOS emission inventory. Draft final report prepared for the Lake Michigan Air Directors Consortium, Des Plaines, IL, by Sonoma Technology, Inc, Santa Rosa, CA, STI-92324-1394-DFR, December.
- Kirchstetter T.W., Singer B.C., Harley R.A., Kendall G.R., and Hesson J.M. (1999) Impact of California reformulated gasoline on motor vehicle emissions. 2. Volatile organic compound speciation and reactivity. *Environ. Sci. Technol.* **33**, 329-336.

- Lindsey C.G., Dye T.S., Main H.H., Korc M.E., Blumenthal D.L., Roberts P.T., Ray S.E., and Arthur M. (1995) Air quality and meteorological data analyses for the 1994 NARSTO-Northeast Air Quality Study. Draft final report prepared for Electric Power Research Institute, Palo Alto, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-94362-1511-DFR, July.
- MacDonald C.P., Roberts P.T., Main H.H., Kumar N., Haste T.L., Chinkin L.R., and Lurmann F.W. (1998) Analysis of meteorological and air quality data for North Carolina in support of modeling. Draft final report North Carolina Department of Environment and Natural Resources, Division of Air Quality, Raleigh, NC by Sonoma Technology, Inc., Petaluma, CA, STI-997420-1818-DFR, October.
- Main H.H., Hurwitt S.B., and Roberts P.T. (1999a) Characteristics of volatile organic compounds in the Mid-Atlantic region. Report prepared for MARAMA, Baltimore, MD by Sonoma Technology, Inc., Petaluma, CA, STI-998482-1869-FR, March.
- Main H.H., Chinkin L.R., Chamberlin A.H., and Hyslop N.M. (1999b) PAMS data analysis for Southern California Volume I: Characteristics of hydrocarbon data collected in the South Coast Air Quality Management District from 1994 to 1997. Draft final report prepared for South Coast Air Quality Management District, Diamond Bar, CA, by Sonoma Technology, Inc., Petaluma, CA STI-997521-1899-DFR, September.
- Nelson P.F. and Quigley S.M. (1983) The m, p-xylenes: ethylbenzene ratio, a technique for estimating hydrocarbon age in ambient atmospheres. *Atmos. Environ.* **17**, 659-662.
- NESCAUM (1995) Preview of the 1994 ozone precursor concentrations in the northeastern U.S. 5/1/94 draft report prepared by the Ambient Monitoring and Assessment Committee of the Northeast States for Coordinated Air Use Management, Boston, MA.
- O'Connor C.M., Gertler A.W., and Sagebiel J.C. (1998) A comparison of ozone-forming potential of on-road emissions measured at the Sepulveda tunnel between 1995 and 1996. Presented at the *Air & Waste Management Association's 91st Annual Meeting & Exhibition, San Diego, California, June 14-18*.
- Rogak S.N., Pott U., Dann T., and Wang D. (1998) Gaseous emissions from vehicles in a traffic tunnel in Vancouver, BC. *J. Air & Waste Manag. Assoc.* **48**, 604-615.
- Seinfeld J.H. (1986) *Atmospheric chemistry and physics of air pollution*. Wiley Interscience Publication, John Wiley and Sons, New York.
- Stoeckenius T.E., Ligocki M.P., Cohen B.L., Rosenbaum A.S., and Douglas S.G. (1994b) Recommendations for analysis of PAMS data. Final report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/011r1, February.
- Systems Applications International, Sonoma Technology Inc., Earth Tech, and Alpine Geophysics (1995) Gulf of Mexico Air Quality Study. Vol 1: Summary of data analysis and modeling. Final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study, MMS 95-0038.

SOURCE APPORTIONMENT

- California Air Resources Board (1992) Modeling emissions data system. Draft report prepared by Control Strategy Modeling Section, Technical Support Division, California Air Resources Board, Sacramento, CA.
- Chung J., Wadden R.A., and Scheff P.A. (1996) Development of ozone precursor relationships using VOC receptor modeling. *Atmos. Environ.* **30**, 3167-3180.
- Cohen M., Ryan P.B., Spengler J.D., Ozkaynak H., and Hayes C (1989) Source receptor study of volatile organic compounds and particulate matter in Charleston, WV. Paper 89-104.3 presented at the *82nd Air & Waste Management Association Annual Meeting, Anaheim, CA, June 25-30*.
- Conner T.L., Collins J.F., Lonneman W.A., and Seila R.L. (1994) Comparison of Atlanta emission inventory with ambient data using chemical mass balance receptor modeling. Paper presented at the *Air & Waste Management Association Emission Inventory Applications and Improvement Conference, Raleigh, NC, November 1-3*.
- Conner T.L., Lonneman W.A., and Seila R.L. (1995) Transportation-related volatile hydrocarbon source profiles measured in Atlanta. *J. Air & Waste Manag. Assoc.* **45**, 383-394.
- Doskey P.V., Porter J.A., and Scheff P.A. (1992) Source fingerprints for volatile non-methane hydrocarbons. *J. Air & Waste Manag. Assoc.* **42**, 1437-1445.
- Fujita E.M., Watson J.G., Chow J.C., and Lu Z. (1994) Validation of the chemical mass balance receptor model applied to hydrocarbon source apportionment in the Southern California Air Quality Study. *Environ. Sci. Technol.* **28**, 1633-1649.
- Fujita E.M., Lu Z., Sagebiel J.C., Robinson N.F., and Watson J.G. (1995) VOC source apportionment for the Coastal Oxidant Assessment for Southeast Texas. Prepared for Texas Natural Resource Conservation Commission, Austin, TX by Desert Research Institute, Reno, NV.
- Fujita E.M., Watson J.G., Chow J.C., and Magliano K.L. (1995) Receptor model and emissions inventory source apportionments of nonmethane organic gases in California's San Joaquin Valley and San Francisco Bay Area. *Atmos. Environ.* **29**, 3019-3035.
- Fujita E.M. and Lu Z. (1997) Hydrocarbon receptor modeling for the 1996 Phoenix Ozone Study. Prepared for ENSR Corporation, Camarillo, CA by Desert Research Institute, Reno, NV.
- Fujita E.M., Lu Z., Sheetz L., Harshfield G., Hayes T., and Zielinska B. (1997) Hydrocarbon source apportionment in western Washington. Prepared for State of Washington Department of Ecology, Lacey, WA by Desert Research Institute, Reno, NV.
- Fujita E.M. and Lu Z. (1998) Analysis of data from the 1995 NARSTO-Northeast Study. Volume III: Chemical mass balance receptor modeling. Draft final report prepared for Coordinating Research Council, Atlanta, GA by Desert Research Institute, Reno, NV.
- Gertler, A.W., Fujita E. M., Pierson W.R., Wittorff D.N. (1996a) Apportionment of NMHC tailpipe vs. non-tailpipe emissions in the Fort McHenry and Tuscarora Mountain tunnels. *Atmos. Environ.* **30(12)**, 2290-2305.

- Gertler A.W., Sagebiel J.C., Wittorff D.N., Pierson W.R., Dippel W.A., Freeman D., and Sheetz L. (1996b) High Exhaust Emitters Project Site Characterization/Selection/Feasibility Study. Final report prepared for Coordinating Research Council, Atlanta, GA by Desert Research Institute, Reno, NV, Project No. E-5, December.
- Goldan J.A., Trainer M., Kuster W.C., Parrish D.D., Carpenter J., Roberts J.M., Yee J.E., and Fehsenfeld F.C. (1995) Measurements of hydrocarbons, oxygenated hydrocarbons, carbon monoxide, and nitrogen oxides in an urban basin in Colorado: implications for emission inventories. *J. Geophys. Res.* **100**, 22,771-22,785.
- Harley R.A., Hannigan M.P., and Cass G.R. (1992) Respeciation of organic gas emissions and the detection of excess unburned gasoline in the atmosphere. *Environ. Sci. Technol.* **26**, 2395-2408.
- Henry R.C. (1992) Dealing with near collinearity in chemical mass balance receptor models. *Atmos. Environ.* **26**, 933-938.
- Henry R.C., Lewis C.W., and Collins J.F. (1994) Vehicle-related hydrocarbon source compositions from ambient data: the GRACE/SAFER method. *Environ. Sci. Technol.* **28**, 823-832.
- Henry, R. C. (1997) History and fundamentals of multivariate air quality receptor models, *Chemometrics and Intelligent Laboratory Systems*, **37**, 525-530.
- Jiang W., Singleton D.L., Hedley M., McLaren R., Dann T., and Wang D. (1997) Comparison of organic compound compositions in the emissions inventory and ambient data for the Lower Fraser Valley. *J. Air & Waste Manag. Assoc.* **47**, 851-860.
- Kenski D.M. (1997) Receptor modeling for ozone prediction: an evaluation of the Lake Michigan Ozone Study data. Ph.D. Dissertation, University of Illinois, Chicago, IL.
- Kenski D.M., Wadden R.A., Scheff P.A., and Lonneman W.A. (1991) Receptor modeling of VOCs in Chicago, Beaumont, and Detroit. Paper presented at the *84th Air & Waste Management Association Annual Meeting, Vancouver, B.C., June 16-21*.
- Kenski D.M., Wadden R.A., Scheff P.A., and Lonneman W.A. (1992) Receptor modeling of VOCs in Atlanta, Georgia. Paper no. 92-104.06 presented at the *85th Air & Waste Management Association Annual Meeting, Kansas City, MO, June 21-26*.
- Kenski D.M., Wadden R.A., Scheff P.A., and Lonneman W.A. (1995) Receptor modeling approach to VOC emission inventory validation. *J. Environ. Eng.* **121**, 483-491.
- Killus, J.P. and Moore G.E. (1991) Factor analysis of hydrocarbon species in the south-central coast air basin. *Bull. Am. Meteorol. Soc.* 733-743.
- Kirchstetter T.W., Singer B.C., Harley R.A., Kendall G.R., and Traverse M. (1999) Impact of California reformulated gasoline on motor vehicle emissions. 1. Mass emission rates. *Environ. Sci. Technol.* **33**, 318-328.
- Kirchstetter T.W., Singer B.C., Harley R.A., Kendall G.R., and Hesson J.M. (1999) Impact of California reformulated gasoline on motor vehicle emissions. 2. Volatile organic compound speciation and reactivity. *Environ. Sci. Technol.* **33**, 329-336.

- Lewis C.W., Conner T.L., Stevens R.K., Collins J.F., and Henry R.C. (1993) Receptor modeling of volatile hydrocarbons measured in the 1990 Atlanta Ozone Precursor Study. Paper no. 93-TP-58.04 in *Proceedings from the 86th Air & Waste Management Association Annual Meeting, Denver, CO, June 14-18*.
- Li, C.K. and Kamens R.M. (1993) The use of polycyclic aromatic hydrocarbons as source signatures in receptor modeling. *Atmos. Environ.* **27a**, 523-532.
- Lin, C. and Milford J.B. (1994) Decay-adjusted chemical mass balance receptor modeling for volatile organic compounds. *Atmos. Environ.* **28**, 3261-3276.
- Lu Z. and Fujita E.M. (1995) Volatile organic compound source apportionment for the coastal oxidant assessment for Southeast Texas Study. Final report prepared for Texas Natural Resource Conservation Commission, Austin, TX by Desert Research Institute, Reno, NV.
- Magliano K.L. (1996) Descriptive analysis and reconciliation of emissions and ambient hydrocarbon data. Draft SJVAQS/AUSPEX technical topic team #5 report prepared by California Air Resources Board, Sacramento, CA.
- Main H.H., Roberts P.T., and Hurwitt S.B. (1999) Validation of PAMS VOC data in the Mid-Atlantic region. Report prepared for MARAMA, Baltimore, MD by Sonoma Technology, Inc., Petaluma, CA, STI-998481-1835-FR, February.
- McLaren R., Gertler A.W., Wittorff D.N., Belzer W., Dann T., and Singleton D.L. (1996) Real-world measurements of exhaust and evaporative emissions in the Cassiar Tunnel predicted by chemical mass balance modeling. *Environ. Sci. Technol.* **30**, 3001-3009.
- Mukund R., Kelly T.J., and Spicer C.W. (1996) Source attribution of ambient air toxic and other VOCs in Columbus, Ohio. *Atmos. Environ.* **30**, 3457-3470.
- NESCAUM (1995) Preview of the 1994 ozone precursor concentrations in the northeastern U.S. 5/1/94 draft report prepared by the Ambient Monitoring and Assessment Committee of the Northeast States for Coordinated Air Use Management, Boston, MA.
- Pace T.G. and Watson J.G. (1987) Protocol for applying and validating the CMB model. Report prepared by Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA-450/4-87-010, May.
- PES (1994) Technical support for enhanced air quality modeling analysis for the purpose of the development of the 1994 ozone state implementation plan guidance. Report prepared by Pacific Environmental Services, Inc., January.
- Pistikopoulos P. Masclat P., Mouvier G. (1990) A receptor model adapted to reactive species: polycyclic aromatic hydrocarbons; evaluation of source contributions in an open urban site - I. particle compounds. *Atmos. Environ.* **24a**, 1189-1197.
- Poissant, L., J.W. Bottemheim, P. Roussel, N.W. Reid, H. Niki (1996) Multivariate analysis of 1992 SONTOS data subset. *Atmos. Environ.* **30(12)**, 2133-2144.
- Roberts P.T., Funk T.H., MacDonald C.P., Main H.H., and Chinkin L.R. (2000) Weekday/weekend ozone observations in the South Coast Air Basin: retrospective analysis of ambient and emissions data and refinement of study hypotheses. Report prepared for the National Renewable Energy Laboratory, Golden, CO by Sonoma Technology, Inc., Petaluma, CA, STI-999670-1961-DFR, April.

- Rogak S.N., Pott U., Dann T., and Wang D. (1998) Gaseous emissions from vehicles in a traffic tunnel in Vancouver, British Columbia. *J. Air & Waste Manage. Assoc.* **48**, 604-615.
- Sagebiel J.C., Zielinska B., Pierson W.R., and Gertler A.W. (1996) Real-world emissions and calculated reactivities of organic species from motor vehicles. *Atmos. Environ.* **30**, 2287-2296.
- Schauer J.J., Rogge W.F., Hildemann L.M., Mazurek M.A., Cass G.R., and Simoneit B.R.T. (1996) Source apportionment of airborne particulate matter using organic compounds as tracers. *Atmos. Environ.* **30**, 3837-3855.
- Scheff P.A. and Klevs M. (1987) Source-receptor analysis of volatile hydrocarbons. *J. Environ. Eng.* **113**, 994.
- Scheff P.A., Aronian P.F., Wadden R.A., and Bates B.A. (1989) Development of volatile organic compound source fingerprints for receptor modeling applications. In *Transactions, Receptor Models in Air Resources Management*, Watson J.G., ed., Air and Waste Management Association, Pittsburgh, PA, pp. 83-107.
- Scheff P.A., Wadden R.A., Bates B.A., and Aronian P.F. (1989) Source fingerprints for receptor modeling of volatile organics. *JAPCA* **39**, 469-478.
- Scheff P.A. and Wadden R.A. (1993) Receptor modeling of volatile organic compounds: 1. Emission inventory and validation. *Environ. Sci. Technol.* **27**, 617-625.
- Scheff P.A., Wadden R.A., Kenski D.M., Chung J., and Wolff G. (1996) Receptor model evaluation of the Southeast Michigan Ozone Study ambient NMOC measurements. *J. Air & Waste Manag. Assoc.* **46**, 1048-1057.
- Siegl W.O., Hammerle R.H., Herrmann H.M., Wenclawiak B.W., and Luers-Jongen B. (1999) Organic emissions profile for a light-duty diesel vehicle. *Atmos. Environ.* **33**, 797-805.
- Sigsby J.E., Tejada S., and Ray W. (1987) Volatile organic emissions from 46 in-use passenger cars. *Environ. Sci. Technol.* **21**, 466-475.
- Stoeckenius T.E., Ligocki M.P., Shepard S.B., and Iwamiya R.K. (1994a) Analysis of PAMS data: application to summer 1993 Houston and Baton Rouge data. Draft report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/115d, November.
- Stoeckenius T.E., Ligocki M.P., Cohen B.L., Rosenbaum A.S., and Douglas S.G. (1994b) Recommendations for analysis of PAMS data. Final report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/011r1, February.
- U.S. Environmental Protection Agency (1987) Procedures for reconciling differences in receptor and dispersion models. Report prepared by U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA 450/4-87-008, May.
- U.S. Environmental Protection Agency (1998) CMB8 application and validation protocol for PM_{2.5} and VOC. Report prepared by U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA 454/R-98-xxx, October.
- Venkataraman C. and Friedlander S.K. (1994) Source resolution of fine particulate polycyclic aromatic hydrocarbons using a receptor model modified for reactivity. *J. Air & Waste Manag. Assoc.* **44**, 1103-1108.

Wilkinson L. (1990) SYSTAT: The System for Statistics. SYSTAT, Inc., Evanston, IL.

TREND ANALYSIS

- Adamski W. (2000) Employing the Rao-Zurbano statistical model to estimate long-term trends in temperature-adjusted peak daily ozone measurements. Presented at *Data Analysis Workshop: Analysis of PM and Ozone Data, Austin, TX, May 16-19*, cosponsored by Central States Air Resources Agencies Association and the Air Pollution Training Institute, U.S. Environmental Protection Agency.
- Bloomfield P., Royle J.A., Steinberg L.J., and Yang Q. (1996) Accounting for meteorological effects in measuring urban ozone levels and trends. *Atmos. Environ.* **30**, 3067-3077.
- Butler A.J., Mulholland J.A., Russell S.A.G., Tolbert P.E., Wilkinson J.G. (1998) Temporal and Spatial Distributions of Ozone in Atlanta: Regulatory and Epidemiologic Implications. *J. Air & Waste Manag. Assoc.* **48**, 418 - 426.
- California Air Resources Board (1993) Guidance for using air quality-related indicators in reporting progress in attaining the State Ambient Air Quality Standards. Report prepared for the California Air Resources Board, Sacramento, CA., September.
- California Air Resources Board (1995) Air quality indicators for 1981 to 1993 to report progress in attaining the State ambient air quality standards for ozone, carbon monoxide, and nitrogen dioxide. Report prepared by the California Environmental Protection Agency Air Resources Board, Air Quality Analysis Section, Technical Support Division, Sacramento, CA, September.
- California Air Resources Board (1997) California ambient air quality data: 1980-1996. Prepared by Technical Support Division, Air Quality Data Branch, California Air Resources Board, Sacramento, CA, CD Number: TSD-97-008-CD, December.
- California Air Resources Board (1999) The 1999 California almanac of emissions and air quality. Report prepared by the California Air Resources Board, Planning and Technical Support Division, Sacramento, CA.
- Chinkin L.R., Reiss R., Eisinger D.S., Dye T.S., Jones C.M. (1996) Ozone exceedance data analysis: representativeness of 1995, Phase I. Final report prepared for the American Petroleum Institute by Sonoma Technology, Inc., Santa Rosa, CA. STI-996031-1574-FR, August.
- Chinkin L.R., Reiss R., and Eisinger D.S. (1996) Ozone exceedance data analysis: representativeness of 1995, Phase II. Final report prepared for the American Petroleum Institute by Sonoma Technology, Inc., Santa Rosa, CA. STI-996032-1586-FR, October.
- Cohanin S., Cassmassi J., and Bassett M. (1998) Ozone trends in California's South Coast Air Basin, 1976-1996. Presented at the *Air & Waste Management Association's 91st Annual Meeting & Exhibition, San Diego, June 14-18*.
- Cox W.M. and Chu S.H. (1992) Meteorologically adjusted ozone trends in urban areas: a probability approach. In *Transactions of the Tropospheric Ozone and the Environment II International Specialty Conference, Air & Waste Management Association, Pittsburgh, PA*, pp. 342-353.

- Cox W.M. and Chu S.H. (1993) Meteorologically adjusted ozone trends in urban areas: a probabilistic approach. *Atmos. Environ.* **27B**, 425-434.
- Cox W.M. and Chu S.H. (1996) Assessment of interannual ozone variation in urban areas from a climatological perspective. *Atmos. Environ.* **30**, 2615-2625.
- Cox W.M. and Chu S.H. (1998) Cox-Chu meteorologically-adjusted ozone trends (1-hour and 8-hour): 1986-1997., Web page for Center for Air Pollution Impact and Trend Analysis (CAPITA), Washington University, St. Louis, MO, October.
- Davidson A. (1993) Update on ozone trends in California's South Coast Air Basin. *J. Air & Waste Manag. Assoc.* **43**, 226-227.
- Deuel H.P. and Douglas S.G. (1996) Regional ozone patterns in the Eastern U.S. 1985-1995: Statistical pattern analysis and classification and regression tree (CART) analysis in support of the Ozone Transport and Assessment Group (OTAG) modeling effort. Prepared for Southeast Modeling Center by Systems Applications International, Inc., San Rafael, CA, SYSAPP-96/50, October.
- Dye T.S., Reiss R., Kwiatkowski J.J., MacDonald C.P., Main H.H., and Roberts P.T. (1998) 8-hr and 1-hr ozone exceedances in the NESCAUM region (1993-1997). Report prepared for the Northeast States for Coordinated Air Use Management, Boston, MA by Sonoma Technology, Inc., Petaluma, CA, STI-998100-1810-FR, September.
- Fairley D. and Blanchard C.L. (1991) Rethinking the ozone standard. *J. Air & Waste Manag. Assoc.* **41**, 928-936.
- Flaum J.B., Rao S.T., and Zurbenko I.G. (1996) Moderating the influence of meteorological conditions on ambient ozone concentrations. *J. Air & Waste Manag. Assoc.* **46**, 35-46.
- Frechtel P., Eberly S., and Cox W.M. (1999) Trends analysis using the IMPROVE database. Web page for Center for Air Pollution Impact and Trend Analysis (CAPITA), Washington University, St. Louis, MO, <<http://capita.wustl.edu/OTAG/reports/otagwind/OTAGWIN4.html>>.
- Hammond D. (1996) Ambient trends of benzene in California from 1990 through 1995. Paper presented at the *U.S. Environmental Protection Agency and Air & Waste Management Association International Symposium on Measurement of Toxic and Related Air Pollutants, Research Triangle Park, NC, May 7-9.*
- Holland D.M., DeOliveira V., Cox L.H., and Smith R.L. (????) Estimation of regional trends in sulfur dioxide over the eastern United States. Accepted for publication in *Environmetrics*.
- Holland D.M., Principe P.P., and Vorburger L. (1999) Rural ozone: trends and exceedances at CASTNet sites. *Environ. Sci. Technol.* **33**, 43-48.
- Holland D.M., Principe P.P., and Sickles II, J.E. (1999) Trends in atmospheric sulfur and nitrogen species in the eastern United States for 1989-1995. *Atmos. Env.* **33**, 37-49.
- Husar R.B. and Renard W.P. (1997) Ozone as a function of local wind speed and direction: evidence of local and regional transport. Web page for Center for Air Pollution Impact and Trend Analysis (CAPITA), Washington University, St. Louis, MO, <<http://capita.wustl.edu/OTAG/reports/otagwind/OTAGWIN4.html>>, July.

- Johnson N.L. (1979) A comparison of the two-parameter Weibull and lognormal distributions fitted to ambient ozone data. *Proc. Specialty Conf. on Quality Assurance in Air Pollution Measurement, New Orleans, LA.*
- Kolaz D.J. and Swinford R.L. (1990) How to remove the influence of meteorology from the Chicago area ozone trend. Presented at the *Air & Waste Management Association 83rd Annual Meeting, Pittsburgh, PA, June 24-29.*
- LADCO (1995) Lake Michigan Ozone Study: 1994 data analysis report, version 1.1. Report prepared by Lake Michigan Air Directors Consortium, Des Plaines, IL, May.
- LADCO (1996) Lake Michigan Ozone Study: 1995 data analysis report, version 1.1. Report prepared by Lake Michigan Air Directors Consortium, Des Plaines, IL, April.
- Larsen L.C., Bradley R.A., and Honcoop G.L. (1990) A new method of characterizing the variability of air quality-related indicators. Presented at the *Air & Waste Management Association's International Specialty Conference on Tropospheric Ozone and the Environment, Los Angeles, CA, March 19-22.*
- Main H.H., Roberts P.T., and Ligocki M.P. (1995) Assessing the usefulness of VOC data as indicators of change in fuel composition in the South Coast Air Basin (California). Paper No. 95-FA113C.02 presented at the *Air & Waste Management Association 88th Annual Meeting, San Antonio, TX, June 18-23, (STI-1501).*
- Main H.H., Roberts P.T., and Reiss R. (1998) Analysis of photochemical assessment monitoring station (PAMS) data to evaluate a reformulated gasoline (RFG) effect. Report prepared for the U.S. Environmental Protection Agency, Office of Mobile Sources, Fuels and Energy Division, Washington, DC by Sonoma Technology, Inc., Santa Rosa, CA, STI-997350-1774-FR2, April. Available online at http://www.epa.gov/oar/oaqps/pams/rfg_oms.pdf.
- Milanchus M.L., Rao S.T., and Zurbenko I.G. (1997) Discerning changes in anthropogenic ozone in the presence of meteorological fluctuations. *Environ. Man. J.* 17-21.
- Milanchus M.L., Rao S.T., and Zurbenko I.G. (1998) Evaluating the effectiveness of ozone management efforts in the presence of meteorological variability. *J. Air & Waste Manag. Assoc.* **48**, 201-215.
- Porter P.S., Rao S.T., Zurbenko I., Zalewsky E., Henry R.F., and Ku J.Y. (1996) Statistical characteristics of spectrally-decomposed ambient ozone time series data. Final report prepared for the Ozone Transport Assessment Group by the University of Idaho, the State University of New York at Albany, and the New York Department of Environmental Conservation, August.
- Rao S.T. and Zurbenko I.G. (1994) Detecting and tracking changes in ozone air quality. *J. Air & Waste Manag. Assoc.* **44**, 1089-1092.
- Rao S.T., Zalewsky E., and Zurbenko I.G. (1995) Determining spatial and temporal variations in ozone air quality. *J. Air & Waste Manag. Assoc.* **45**, 57-61.

- Roberts P.T., Main H.H., and Yocke M.A. (1996) Operating plan for ozone modeling data collection in El Paso-Ciudad Juarez-Sunland Park. Draft final report prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC under subcontract to SAIC, McLean, VA by Sonoma Technology, Inc., Santa Rosa, CA, STI-95370-1573-DFR, EPA Contract No. 68-D3-0030, Option Year II, Work Assignment No. 11-77, SAIC Project No. 01-1030-07-3823-xxx, March.
- Sabo E.J. and Hawes J.T. (1990) User's guide and program documentation for the transported ozone design value model. Report prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA Contract No. 68-02-4393.
- Sather M.E. and Kemp M.G. (1998) Analysis of ozone precursor data from Baton Rouge, Houston, El Paso, and Dallas. Presented at the *Air and Waste Management Association's 91st Annual Meeting, San Diego, CA, June 14-18*. Available at <<http://capita.wustl.edu/enhancedozone/resources/bibliography/reports/pams/awma98.pdf>>.
- Sather M.E. and Kemp M.G. (1998) Initial detailed trends and ozone episode analyses of photochemical assessment monitoring stations (PAMS) data from Baton Rouge, Louisiana. Presented at the *Air and Waste Management Association's International Symposium on the Measurement of Toxic and Related Air Pollutants, Cary, NC, September 1-3*. Available at <<http://capita.wustl.edu/EnhancedOzone/Resources/Bibliography/Reports/PAMS/toxics98.pdf>>.
- Scheff P.A., R.A. Wadden, D.M. Kenski, J.Chung, and G. Wolff (1996) Receptor model evaluation of the Southeast Michigan ozone study ambient NMOC measurements. *J. Air & Waste Manag. Assoc.* **46**, 1048-1057.
- Smith B.E. and Adamski W.J. (1996) Long term ozone trends in the Lake Michigan airshed. Paper No. 97-A112 presented at the *Air & Waste Management Association 90th Annual Meeting & Exhibition, Toronto, Ontario, Canada, June 8-13*.
- Stoeckenius T.E. (1990) Adjustment of ozone trends for meteorological variation. Presented at the *Air and Waste Management Association's Specialty Conference, Tropospheric Ozone and the Environment, Los Angeles, CA, March 19-22*.
- Stoeckenius T.E., Ligocki M.P., Cohen B.L., Rosenbaum A.S., and Douglas S.G. (1994) Recommendations for analysis of PAMS data. Final report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/011r1, February.
- Stoeckenius T.E., Yarwood G., Ligocki M.P., Cohen J.P., Shepard S.B., Looker R.E., Fujita E.M., Main H.H., and Roberts P.T. (1995) Feasibility study for a 1995-1996 Southern California air quality monitoring program. Final report prepared for Coordinating Research Council, Atlanta, GA by Systems Applications International, San Rafael, CA, Desert Research Institute, Reno, NV, and Sonoma Technology, Inc., Santa Rosa, CA, SYSAPP94-94/065, January.
- U.S. Environmental Protection Agency (1994) Clean air act ozone design value study: a report to Congress. Final report prepared by Office of Air Quality, Planning and Standards, Research Triangle Park, NC, EPA-454/R-94-035, December.

- U.S. Environmental Protection Agency (1994) Air pollutant emission trends: 1900-1994. Prepared by the Office of Air and Radiation, Research Triangle Park, NC.
- U.S. Environmental Protection Agency (1998) National air quality and emissions trends report, 1997. Prepared by the Office of Air Quality, Planning and Standards, Research Triangle Park, NC.
- U.S. Environmental Protection Agency (1999) Guideline on data handling conventions for the PM NAAQS. EPA-454/R-99-008, April.
- U.S. Environmental Protection Agency (2000) National air quality and emissions trends report, 1998. Prepared by the Office of Air Quality, Planning and Standards, Research Triangle Park, NC, EPA 454/R-00-003, March.
- Wittig A.E., Main H.H., Roberts P.T., and Hurwitt S.B. (1999) Analysis of PAMS data in California Volume III: trends analysis of California PAMS and long-term trend air quality data (1987-1997). Report prepared for the U.S. Environmental Protection Agency, Research Triangle Park, NC, STI-998393-1885-FR, May.
- Zeldin M.D., Cassmassi J.C.C., and Hoggan M. (1990) Ozone trends in the South Coast Air Basin: an update. Presented at the *Air and Waste Management Association's International Conference on Tropospheric Ozone and the Environment, Los Angeles, CA, March 19-22*, pp. 760-771.
- Zurbenko I.G., Rao S.T., and Henry R.F. (1995) Mapping ozone in the Eastern United States. *Environ. Man. J.* **1**, 24-30.

UPPER AIR METEOROLOGY

- Allwine K.J. and Whiteman C.D. (1994) Single-station integral measures of atmospheric stagnation, recirculation, and ventilation. *Atmos. Environ.* **28**, 713-721.
- Blumenthal D.L., Lurmann F.W., Roberts P.T., Main H.H., MacDonald C.P., Knuth W.R., and Niccum E.M. (1997) Three-dimensional distribution and transport analyses for SJVAQS/AUSPEX. Draft report prepared for the San Joaquin Valleywide Air Pollution Study Agency, California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-91060-1705-DFR, February.
- Chang J.C. and Hanna S.R. (1993) Trajectory calculation for selected LMOS periods. Report prepared for Sonoma Technology, Inc., Santa Rosa, CA by Sigma Research Corp., Concord, MA, Report No. 1197-600, May.
- Dye T.S., Lindsey C.G., and Anderson J.A. (1995a) Estimates of mixing depths from "boundary layer" profilers. In *Preprints of the 9th Symposium on Meteorological Observations and Instrumentation, Charlotte, NC, March 27-31* (STI-94212-1451).
- Dye T.S., Roberts P.T., and Korc M.E. (1995b) Observations of transport processes for ozone and ozone precursors during the 1991 Lake Michigan Ozone Study. *J. Appl. Meteorol.* **34**, 1877-1889 (STI-1384).
- Gauthreaux Jr. S.A. (1991) The flight behavior of migrating birds in changing wind fields: radar and visual analyses. *Amer. Zool.* **31**, 187-204.

- Hanna S.R. and Chang J.C. (1993) Representativeness of 1991 LMOS ozone episodes and relations between ozone episodes and meteorological variables in the Lake Michigan area. Report prepared for Sonoma Technology, Inc., Santa Rosa, CA by Sigma Research Corp., Concord, MA, Report No. 1197-407/411, January.
- Lindsey C.G., Dye T.S., Blumenthal D.L., Ray S.E., and Arthur M. (1995) Meteorological aspects of summertime ozone episodes in the Northeast. Paper FA 5.8 presented at the *9th Joint Conference on the Applications of Air Pollution Meteorology at the 76th AMS Annual Meeting, Atlanta, GA, January 28-February 2, 1996* (STI-1549).
- Lindsey C.G., Dye T.S., Roberts P.T., Anderson J.A., and Ray S.E. (1995) Meteorological aspects of ozone episodes in southeast Texas. Paper No. 95-WP96.02 presented at the *88th Air & Waste Management Association Annual Meeting, San Antonio, TX, June 18-23*.
- Main H.H., Chinkin L.R., Haste T.L., Roberts P.T., and Reiss R. (1997) Shasta County ozone and ozone precursor transport quantification study. Final report prepared for the Shasta County Department of Resource Management, Redding, CA, STI-95180-1714-FR, March.
- Roberts P.T. and Main H.H. (1992) Characterization of three-dimensional air quality during the SCAQS. In *Southern California Air Quality Study Data Analysis. Proceedings from SCAQS Data Analysis Conference, University of California, Los Angeles, CA, July 21-23*, Air & Waste Management Association, Pittsburgh, PA (STI-1223).
- Roberts P.T., Main H.H., Smith T.B., Lindsey C.G., and Korc M.E. (1992) Analysis of 3-D air quality data and carbon, nitrogen, and sulfur species distributions during the Southern California Air Quality Study. Final report prepared for the Coordinating Research Council, Atlanta, GA by Sonoma Technology, Inc., Santa Rosa, CA, STI-99100-1213-FR, October.
- Roberts P.T., Musarra S., Smith T.B., and Lurmann F.W. (1992) A study to determine the nature and extent of ozone and ozone precursor transport in selected areas of California. Final report prepared for the California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-90060-1162-FR, December.
- Roberts P.T., Main H.H., Lindsey C.G., and Korc M.E. (1993) Ozone and particulate matter case study analysis for the Southern California Air Quality Study. Final report prepared for the California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-90020-1222-FR, May.
- Roberts P.T., Main H.H., and Korc M.E. (1993) Comparison of 3-D air quality data with model sensitivity runs for the South Coast Air Basin. Paper No. 93-WP-69B.05 presented at the *Air & Waste Management Association Regional Photochemical Measurement and Modeling Studies Conference, San Diego, CA, November 8-12* (STI-1244).
- Roberts P.T., Dye T.S., Korc M.E., and Main H.H. (1994) Air quality data analysis for the 1991 Lake Michigan Ozone Study. Final report prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, STI-92022-1410-FR.
- Roberts P., Korc M., Blumenthal D., and Mueller P.K. (1995) NARSTO-Northeast 1995 summer ozone study. Version 1. Report prepared for Electric Power Research Institute, Palo Alto, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-95135-1538-WD1; Research project EPRI WO9108-01.

- Systems Applications International, Sonoma Technology Inc., Earth Tech, and Alpine Geophysics (1995) Gulf of Mexico Air Quality Study. Vol 1: Summary of data analysis and modeling. Draft final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study, MMS 94-0046, SYSAPP-95/013d.
- Tremback C.J. and Lyons W.A. (1993) Trajectory calculation derived from CALRAMS simulations. Report prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by ASTeR, Inc., Ft. Collins, CO, August.
- U.S. Environmental Protection Agency (1995) Draft guidelines for the quality assurance and management of PAMS upper-air meteorological data.
- U.S. Environmental Protection Agency (2000) Meteorological monitoring guidance for regulatory modeling applications. Office of Air Quality Planning and Standards, Research Triangle Park, NC, EPA-454/R-99-005, February.
- White A.B. (1993) Mixing depth detection using 915 MHz radar reflectivity data. In *Preprints, AMS 8th Symposium on Meteorological Observations and Instruments, Anaheim, CA, January 17-22*.
- Wilczak J.M., Strauch R.G., Weber B.L., Merritt D.A., Ralph F.M., Jordan J.R., Wolfe D.E., Lewis L.K., Wuertz D.B., Gaynor J.E., McLaughlin S., Rogers R., Riddle A., and Dye T. (1995) Contamination of wind profiler data by migrating birds: characteristics of corrupted data and potential solutions. *J. of Oceanic and Atmos. Tech.*, **12**, 449-467.
- Wyngaard J.C. and LeMone M.A. (1980) Behavior of the refractive index structure parameter in the entraining convective boundary layer. *J. Atmos. Sci.*, **37**, 1573-1585.

TRANSPORT ANALYSIS

- Allwine K.J. and Whiteman C.D. (1994) Single-station integral measures of atmospheric stagnation, recirculation, and ventilation. *Atmos. Environ.* **28**, 713-721.
- Blumenthal D.L., Lurmann F.W., Roberts P.T., Main H.H., MacDonald C.P., Knuth W.R., and Niccum E.M. (1997) Three-dimensional distribution and transport analyses for SJVAQS/AUSPEX. Draft report prepared for the San Joaquin Valleywide Air Pollution Study Agency, California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-91060-1705-DFR, February.
- Blumenthal D.L., Lurmann F.W., Kumar N., Ray S.E., Korc M.E., Londergan R., and Moore G. (1997) Transport and mixing phenomena related to ozone exceedances in the Northeast U.S. Working Draft No. 1.1 prepared for Ozone Transport Assessment Group Air Quality Analysis Workgroup by Sonoma Technology, Inc., Santa Rosa, CA and Earth Tech, Concord, MA, STI-996133-1710-WD1.1, February.
- Chang J.C. and Hanna S.R. (1993) Trajectory calculation for selected LMOS periods. Report prepared for Sonoma Technology, Inc., Santa Rosa, CA by Sigma Research Corp., Concord, MA, Report No. 1197-600, May.

- Dye T.S., Lindsey C.G., and Anderson J.A. (1995) Estimates of mixing depths from "boundary layer" profilers. In *Preprints of the 9th Symposium on Meteorological Observations and Instrumentation, Charlotte, NC, March 27-31*, STI-94212-1451.
- Dye T.S., Roberts P.T., and Korc M.E. (1995) Observations of transport processes for ozone and ozone precursors during the 1991 Lake Michigan Ozone Study. *J. Appl. Meteorol.* **34**, 1877-1889 (STI-1384).
- Hanna S.R. and Chang J.C. (1993) Representativeness of 1991 LMOS ozone episodes and relations between ozone episodes and meteorological variables in the Lake Michigan area. Report prepared for Sonoma Technology, Inc., Santa Rosa, CA by Sigma Research Corp., Concord, MA, Report No. 1197-407/411, January.
- Haste T.L., Chinkin L.R., Main H.H., Kumar N., and Roberts P.T. (1998) Analysis of data from the 1995 NARSTO-Northeast Study Volume II: Use of PAMS data to evaluate a regional emission inventory. Report prepared for Coordinating Research Council, Atlanta, GA by Sonoma Technology, Inc., Petaluma, CA under subcontract to ENVIRON International Corp., Novato, CA, STI-95424-1737-FR, March.
- Lindsey C.G., Dye T.S., Blumenthal D.L., Ray S.E., and Arthur M. (1995) Meteorological aspects of summertime ozone episodes in the Northeast. Paper FA 5.8 to be presented at the *9th Joint Conference on the Applications of Air Pollution Meteorology at the 76th AMS Annual Meeting, Atlanta, GA, January 28-February 2, 1996*, (STI-1549).
- Lindsey C.G., Dye T.S., Roberts P.T., Anderson J.A., and Ray S.E. (1995) Meteorological aspects of ozone episodes in southeast Texas. Paper No. 95-WP96.02 presented at the *88th Air & Waste Management Association Annual Meeting, San Antonio, TX, June 18-23*.
- Lu Z. and Fujita E.M. (1995) Volatile organic compound source apportionment for the coastal oxidant assessment for Southeast Texas Study. Final report prepared for Texas Natural Resource Conservation Commission, Austin, TX by Desert Research Institute, Reno, NV.
- Main H.H., Chinkin L.R., Haste T.L., Roberts P.T., and Reiss R. (1997) Shasta County ozone and ozone precursor transport quantification study. Final report prepared for the Shasta County Department of Resource Management, Redding, CA, STI-95180-1714-FR, March.
- VT DEC air trajectory analysis of long-term ozone climatology. Status report to the OTAG Air Quality Analysis Workgroup, August. Available at <http://capita.wustl.edu/OTAG/Reports/vtdecair/vtdecair.html>.
- Poirot R. and Wishinski P. (1997) Historical perspective on the climatological potential for "local" pollution episodes. Report submitted to the OTAG Air Quality Analysis Workgroup, February. Available at <http://capita.wustl.edu/OTAG/Reports/Holztxt/Holztxt.html>.
- Ray S.E., Korc M.E., Byars M.S., Dye T.S., Lindsey C.G., Haste T.L., and Roberts P.T. (1997) Analysis of nocturnal low-level jets in the Northeastern United States during the summer of 1995. Final report prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC by Sonoma Technology, Inc., Santa Rosa, CA, STI-996440-1706-FR, February.

- Roberts P.T. and Main H.H. (1992) Characterization of three-dimensional air quality during the SCAQS. In Southern California Air Quality Study Data Analysis. *Proceedings from SCAQS Data Analysis Conference, University of California, Los Angeles, CA, July 21-23, Air & Waste Management Association, Pittsburgh, PA, (STI-1223), VIP-26.*
- Roberts P.T., Main H.H., Smith T.B., Lindsey C.G., and Korc M.E. (1992) Analysis of 3-D air quality data and carbon, nitrogen, and sulfur species distributions during the Southern California Air Quality Study. Final report prepared for the Coordinating Research Council, Atlanta, GA by Sonoma Technology, Inc., Santa Rosa, CA, STI-99100-1213-FR, October.
- Roberts P.T., Musarra S., Smith T.B., and Lurmann F.W. (1992) A study to determine the nature and extent of ozone and ozone precursor transport in selected areas of California. Final report prepared for the California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-90060-1162-FR, December.
- Roberts P.T., Main H.H., Lindsey C.G., and Korc M.E. (1993) Ozone and particulate matter case study analysis for the Southern California Air Quality Study. Final report prepared for the California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-90020-1222-FR, May.
- Roberts P.T., Main H.H., and Korc M.E. (1993) Comparison of 3-D air quality data with model sensitivity runs for the South Coast Air Basin. Paper No. 93-WP-69B.05 presented at the *Air & Waste Management Association Regional Photochemical Measurement and Modeling Studies Conference, San Diego, CA, November 8-12, STI-1244.*
- Roberts P.T., Main H.H., Chinkin L.R., Musarra S.F., and Stoeckenius T.E. (1993) Methods development for quantification of ozone and ozone precursor transport in California. Final report prepared for the California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-90100-1233-FR, July.
- Roberts P.T., Dye T.S., Korc M.E., and Main H.H. (1994) Air quality data analysis for the 1991 Lake Michigan Ozone Study. Final report prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, STI-92022-1410-FR.
- Roberts P., Korc M., Blumenthal D., and Mueller P.K. (1995) NARSTO-Northeast 1995 summer ozone study. Version 1. Report prepared for Electric Power Research Institute, Palo Alto, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-95135-1538-WD1; Research project EPRI WO9108-01.
- Systems Applications International, Sonoma Technology, Inc., Earth Tech, and Alpine Geophysics (1995) Gulf of Mexico Air Quality Study. Vol 1: Summary of data analysis and modeling. Draft final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study, MMS 94-0046, SYSAPP-95/013d.
- Tremback C.J. and Lyons W.A. (1993) Trajectory calculation derived from CALRAMS simulations. Report prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by ASTeR, Inc., Ft. Collins, CO, August.

COMPARING MODEL OUTPUT WITH AMBIENT DATA

- Adamski W. (1997) An analysis of measured and predicted concentrations aloft of ozone and total reactive oxides of nitrogen in the eastern U.S. during July 1995. Draft report prepared by Wisconsin Department of Natural Resources, Racine, WI, January.
- Adamski W. (2000) Analyzing aircraft-observed measurements of ozone, oxides of nitrogen and meteorology: Case study 4 (modeled v. aircraft). Prepared for *Data Analysis Workshop: Analysis of PM and Ozone Data, Austin, TX, May 16-19*. Sponsored by Central States Air Resources Agencies Association and the U.S. Environmental Protection Agency Air Pollution Training Institute.
- California Air Resources Board (1995) Sacramento area modeling analysis for the 1994 state implementation plan. Report prepared by Technical Support Division, California Air Resources Board, Sacramento, CA, April.
- Cassmassi J., Mitsutomi S., Bassett M., Lester J.C., and Zhang X. (1994) Ozone modeling - performance evaluation. Draft technical report V-B prepared by South Coast Air Quality Management District, Diamond Bar, CA, June.
- Eisinger, D.S., Deakin E.A., Mahoney L.A., Morris R.E., and Ireson R.G. (1990) Transportation control measures: state implementation plan guidance. Revised final report prepared by Systems Applications International, San Rafael, CA, SYSAPP-90/084, September.
- Hanna S.R., Moore G.E., and Fernau M.E. (1996) Evaluation of photochemical grid models (UAM-IV, UAM-V, and the ROM/UAM-IV couple) using data from the Lake Michigan Ozone Study (LMOS). *Atmos. Environ.* **30**, 3265-3279.
- MacDonald C.P., Roberts P.T., Main H.H., Kumar N., Haste T.L., Chinkin L.R., and Lurmann F.W. (1998) Analysis of meteorological and air quality data for North Carolina in support of modeling. Draft final report North Carolina Department of Environment and Natural Resources, Division of Air Quality, Raleigh, NC by Sonoma Technology, Inc., Petaluma, CA, STI-997420-1818-DFR, October.
- McNair L.A., Harley R.A., and Armistead G.R. (1996) Spatial inhomogeneity in pollutant concentrations, and their implications for air quality model evaluation. *Atmos. Environ.* **30**, 4291-4301.
- Models-3/EMAQ home page: <<http://www.epa.gov/asmdnerl/models3/>>.
- Roberts P.T. and Main H.H. (1992) Characterization of three-dimensional air quality during the SCAQS. In *Southern California Air Quality Study Data Analysis, Proceedings from SCAQS Data Analysis Conference, University of California, Los Angeles, CA, July 21-23*, Air & Waste Management Association, Pittsburgh, PA, (STI-1223), VIP-26.
- Roberts P.T., Main H.H., Lindsey C.G., and Korc M.E. (1993) Ozone and particulate matter case study analysis for the Southern California Air Quality Study. Final report prepared for the California Air Resources Board, Sacramento, CA by Sonoma Technology, Inc., Santa Rosa, CA, STI-90020-1222-FR, May.

- Roberts P.T., Main H.H., and Korc M.E. (1993) Comparison of 3-D air quality data with model sensitivity runs for the South Coast Air Basin. Paper No. 93-WP-69B.05 presented at the *Air & Waste Management Association Regional Photochemical Measurement and Modeling Studies Conference, San Diego, CA, November 8-12 (STI-1244)*.
- Roberts P.T., Dye T.S., Korc M.E., and Main H.H. (1994) Air quality data analysis for the 1991 Lake Michigan Ozone Study. Final report prepared for Lake Michigan Air Directors Consortium, Des Plaines, IL by Sonoma Technology, Inc., Santa Rosa, CA, STI-92022-1410-FR.
- Stoeckenius T.E., Ligocki M.P., Shepard S.B., and Iwamiya R.K. (1994) Analysis of PAMS data: application to summer 1993 Houston and Baton Rouge data. Draft report prepared by Systems Applications International, San Rafael, CA, SYSAPP94-94/115d, November.
- Systems Applications International, Sonoma Technology Inc., Earth Tech, Alpine Geophysics, and A.T. Kearney (1995) Gulf of Mexico Air Quality Study. Vol. I: summary of data analysis and modeling. Final report prepared for U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS-95-0038.
- Tesche T.W., Georgopoulos P., Seinfeld J.H., Cass G., Lurmann F.W., and Roth P.M. (1990) Improvement of procedures for evaluating photochemical models. Draft final report prepared for Research Division, California Air Resources Board, Sacramento, CA by Radian Corporation, Sacramento, CA, Contract No. A832-103, March.
- U.S. Environmental Protection Agency (1991) Guideline for regulatory application of the Urban Airshed Model (UAM). Report prepared by U.S. Environmental Protection Agency, Research Triangle Park, NC, EPA 450/4-91-013.